

From: [Richards, Tobias](#)
To: [Jhana Enders/R6/USEPA/US@EPA](#)
Subject: RE: Bachman Services Update [soil samples]
Date: 07/31/2012 05:04 PM

Not a problem. I can add it to the log book. So they are taking soil samples of the Drainage Canal tomorrow at 0900?

Tobias Richards

Dougherty Sprague Environmental, Inc.
Weston Solutions, Inc.
Weston office:
3900 Dallas Parkway, Suite 175
Plano, TX 75093
Mobile: 361.249.2265
Office: 469.666.5520
Fax: 469.666.5540

From: Jhana Enders [mailto:Enders.Jhana@epamail.epa.gov]
Sent: Tuesday, July 31, 2012 5:01 PM
To: Richards, Tobias
Subject: Bachman Services Update [soil samples]

FYI...Came back for some reason...

Jhana Enders, Federal On-Scene Coordinator (FOSC)
Emergency Readiness Team (6SF-PE)
U.S. EPA, Region 6
1445 Ross Avenue (8th Floor)
Dallas, Tx 75202-2733
Office: (214) 665-6654
Cell: (214) 789-9654
Fax: (214) 665-2278
enders.jhana@epa.gov

"Nothing in life is to be feared. It is only to be understood." (Marie Curie)

----- Forwarded by Jhana Enders/R6/USEPA/US on 07/31/2012 05:00 PM -----

From: Jhana Enders/R6/USEPA/US
To: Heth.Parnell@WestonSolutions.Com, Tobias Richards
Date: 07/31/2012 04:57 PM
Subject: Bachman Services Update [soil samples]

Per Raymond Melton today, they are to take soil samples tomorrow at 9:00. Please add to logbook.
Thanks.



9531328

Jhana Enders, Federal On-Scene Coordinator (FOSC)
Emergency Readiness Team (6SF-PE)
U.S. EPA, Region 6
1445 Ross Avenue (8th Floor)
Dallas, Tx 75202-2733
Office: (214) 665-6654
Cell: (214) 789-9654
Fax: (214) 665-2278
enders.jhana@epa.gov

"Nothing in life is to be feared. It is only to be understood." (Marie Curie)

CONFIDENTIALITY: This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.